



Pony Testing International Group

Report No.: MZIFH1PA03632716

MSDS Report

Sample Description
& Model

Li-ion Battery(502030)

Applicant

Shenzhen Theurgy Technology Co., Ltd

Address

3/F, A Block, Pinchuangyuan Industrial Park, No. 42, Industry
East Road, Longhua, Bao'an District, Shenzhen, China



PONY 谱尼测试
Pony Testing International Group

www.ponytest.com ©Hotline 400-819-5688

Add: 北京市海淀区苏州街49-3
号盈智大厦

Tel: (010) 82618116

上海市徐汇区桂平路680号
35号楼4层

(021) 64851999

深圳市南山区创业路中兴
工业城6栋1层

(0755) 26050909

青岛市崂山区株洲路190
号6层

(0532) 88706866

Add: 天津市南开区红旗路嘉寓

大厦10层

Tel: (022) 27360730

宁波市高新区新晖路150号

二期4号楼4层

(0574) 87736499

广州市海珠区敦和路189号

海珠科技园3号楼7层

(020) 89224310



Pony Testing International Group

Material Safety Data Sheet

According to ST/SG/AC.10/30/Rev.5 (GHS)

Section 1 - Chemical Product and Company Identification

Chemical product identification

Sample Description: Li-ion Battery

Sample Model: 502030

Recommended Uses: Headset

Restrictions on use: N/A

Supplier name: Shenzhen Theurgy Technology Co., Ltd

Address: 3/F, A Block, Pinchuangyuan Industrial Park, No. 42, Industry East Road, Longhua, Bao'an District, Shenzhen, China

Phone number: 0755-29163899

FAX: 0755-28157722

E-mail: 505185285@qq.com

Emergency phone number: 0755-29163899

Section 2 - Hazards Identification

Emergency overview: N/A

Classification according to GHS

Not a dangerous substance according to GHS.

Label elements

Hazard pictogram(s): No available

Signal word: No available

Hazard statement(s): No available

Precautionary statement(s):

Prevention: No available

Response: No available

Disposal: No available

Environmental hazards: no relevant information.

Important symptoms: See Section 11 for more information.

www.ponytest.com ©Hotline 400-819-5688



Pony Testing International Group

Emergency overview: In case of accident or if you feel unwell, seek medical advice immediately. See Section 4 for more information.

Section 3 - Composition, Information on Ingredients

Chemical characterization: Mixture

Chemical Composition	CAS No.	EC#	Weight (%)
Lithium Cobalt Oxide	12190-79-3	235-362-0	35-45
Graphite	7782-42-5	231-955-3	14-22
Electrolyte	--	---	15-20
Aluminum	7429-90-5	231-072-3	12-16
Copper	7440-50-8	231-159-6	8-12
PVDF Polyvinylidene Fluoride	24937-79-9	200-867-7	0.5-1.0
Carbon Black	1333-86-4	231-153-3	0.5-1.5

Section 4 - First Aid Measures

Description of first aid measures

General information No special measures required.

After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders: Not available.



Pony Testing International Group

Most important symptoms/effects, acute and delayed: Not available.

Indication of immediate medical attention and special treatment needed: Not available.

Section 5 - Fire Fighting Measures

Suitable extinguishing media:

Use extinguishing agent suitable for local conditions and the surrounding environment .
Such as dry powder , CO₂.

Unsuitable extinguishing media:

No further relevant information available.

Specific Hazards arising from the chemical:

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>150°C(302°F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

Specific protective actions for fire-fighters:

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

Section 6 - Accidental Release Measures

Personal precautions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Protective equipment:

No further relevant information available.

Emergency procedures:

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and materials for containment and cleaning up:

All waste must refer to the United Nations, the national and local regulations for disposal.

www.ponytest.com ©Hotline 400-819-5688



Pony Testing International Group

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 - Handling and Storage

Precautions for safe handling:

Consumption of food and beverage should be avoided in work areas.

Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

Information about fire and explosion protection

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Conditions for safe storage, including any incompatibilities:

Requirements to be met by storerooms and receptacles

Store in a cool, dry, well-ventilated place.

Information about storage in one common storage facility

Keep away from heat, avoiding the long time of sunlight.

Further information about storage conditions

Keep container tightly sealed.

Specific and use

No further relevant information available.

Section 8 - Exposure Controls, Personal Protection

Control parameters

CAS No.	ACGIH	NIOSH	OSHA
12190-79-3	TLV-TWA 0.02mg/m ³	N/A	N/A
7782-42-5	TLV-TWA 2mg/m ³	RELs-TWA 2.5mg/m ³	PELs-TWA 15mppcf
7429-90-5	TLV-TWA 1mg/m ³	RELs-TWA 5mg/m ³	PELs-TWA 5mg/m ³ PELs-TWA 15mg/m ³
7440-50-8	TLV-TWA 0.2mg/m ³ TLV-TWA 1mg/m ³	RELs-TWA 1mg/m ³	PELs-TWA 5mg/m ³ PELs-TWA 15mg/m ³
24937-79-9	N/A	N/A	N/A
1333-86-4	TLV-TWA 3mg/m ³	RELs-TWA 3.5mg/m ³	PELs-TWA 3.5mg/m ³



Pony Testing International Group

Appropriate engineering controls:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Personal Protective Equipment

Respiratory protection: Wear suitable protective mask in order to reduce the respiratory system. A large number of leakage, wear chemical protective clothing, including self-contained breathing apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

Eyes Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Colour:	Silver.
Physical State:	Prismatic.
Odour:	Not available.
Odour threshold:	Not available.
pH:	Not available.
Melting point/freezing point:	Not available.
Initial boiling point and boiling range:	Not available.
Flash Point:	Not available.
Evaporation rate:	Not available.
Flammability (solid, gas):	Not available.
Explosion Limits (vol% in air):	Not available.
Vapour pressure, kPa at 20°C:	Not available.
Vapor density:	Not available.
Density/Relative density (water = 1):	Not available.

www.ponytest.com ☎ Hotline 400-819-5688



Pony Testing International Group

Solubility(ies):	Not available.
Partition coefficient: n-octanol/water:	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Viscosity:	Not available.
Other information:	
Voltage	3.7V
Electric capacity	200mAh
Electric Energy	0.74Wh

Section 10 - Stability and Reactivity

Reactivity: Data not available.

Chemical stability: Stable.

Possibility of hazardous reactions: Data not available.

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible materials.

Incompatibilities materials: Oxidizing agents, acid, base.

Hazardous decomposition products: Carbon monoxide, carbon dioxide, lithium oxide fumes.

Section 11 - Toxicological Information

Acute Toxicity:

CAS No.	LC50/LD50
12190-79-3	Not available.
7782-42-5	Not available.
7429-90-5	Not available.
7440-50-8	Oral (rat) LD50: 5800 mg/kg
24937-79-9	Not available.
1333-86-4	Not available.

Skin corrosion/irritation: Not available.

Serious eye damage/irritation: Not available.

www.ponytest.com ©Hotline 400-819-5688



Pony Testing International Group

Respiratory or Skin sensitization: Not available.

Germ Cell mutagenicity: Not available.

Carcinogenicity: Not available.

Reproductive toxicity: Not available.

Specific target organ toxicity-Single exposure: Not available.

Specific target organ toxicity-Repeated exposure: Not available.

Aspiration hazard: Not available.

Information on the likely routes of exposure: Not available.

Eye: Not available.

Skin: Not available.

Ingestion: Not available.

Inhalation: Not available.

Section 12 - Ecological Information

Ecological Toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

Section 13 - Disposal Considerations

Disposal methods:

Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.



Pony Testing International Group

Section 14 - Transport Information

UN Number	
IATA	UN3481
IMDG	UN3481
Model Regulation	UN3481
UN Proper shipping name	
IATA	Lithium Ion Batteries Contained In Equipment
IMDG	Lithium Ion Batteries Contained In Equipment
Model Regulation	Lithium Ion Batteries Contained In Equipment
Transport hazard class(es)	
IATA	9
IMDG	9
Model Regulation	9
Packing group	
IATA	N/A
IMDG	N/A
Model Regulation	N/A
Packaging Sign	
IATA	N/A
IMDG	N/A
Model Regulation	N/A
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Not applicable.

Transport information: The Li-ion Battery (502030) has passed the test UN38.3, according to the report ID: H03143044721D, H03143044721D~1.

According to the Packing Instruction 967 section II of IATA DGR 56th Edition for transportation.

According to the special provision 188 of IMDG (36-12) or the <<Recommendations On The Transport Of Dangerous Goods-Model Regulations>> (18th). The products are not subject to dangerous goods.

Separate batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport. Take in a cargo of them without falling, dropping, and breakage. Prevent collapse of cargo piles and wet by rain.

www.ponytest.com ©Hotline 400-819-5688



Pony Testing International Group

Note: Batteries weight in the package < 5kg (By air, Batteries installed in equipment).

Transport Fashion: By air, by sea, by railway, by road.

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ ELINCS/ NLP
12190-79-3	Listed	Listed	Listed DSL	Listed
7782-42-5	Listed	Listed	Listed DSL	Listed
7429-90-5	Listed	Listed	Listed DSL	Listed
7440-50-8	Listed	Listed	Listed DSL	Listed
24937-79-9	Listed	Listed	Listed DSL	Listed
1333-86-4	Listed	Listed	Listed DSL	Listed

Section 16 - Additional Information

Issue Time: 2015-01-19

Issue Department: Technical department

Modification record:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value)

TWA: (Time Weighted Average);

STEL: (Short Term Exposure Limit);



Pony Testing International Group

PEL: (Permissible Exposure Level);
REL: (Recommended Exposure Limit);
PC-STEL: (Permissible concentration-time weighted average);
PC-TWA: (Permissible concentration-short time exposure limit);
LC50: (Lethal concentration, 50 percent kill);
LD50: (Lethal dose, 50 percent kill);
IARC: (International Agency for Research on Cancer);
EC50: (Median effective concentration);
BCF: (Bioconcentration Factor);
BOD: (Biochemical oxygen demand);
NOEC: (No observed effect concentration);
NTP: (US National Toxicology Program);
RTECS: (Registry of Toxic Effects of Chemical Substances);
IATA: (International Air Transport Association);
IMDG: (International Maritime Dangerous Goods);
TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations);
TOC: (Total Organic Carbon);
TSCA: (Toxic Substances Control Act of USA);
DSL: (the Domestic Substances List of Canada);
NDSL: (the Non-domestic Substances List of Canada)

End of report

www.ponytest.com ☎Hotline 400-819-5688